LESSO GROUP STOCK CODE: 2128.HK **LESSO Intelligent Storage for Smart Living LESSO Smart Energy Solutions**

Lesso New Energy Global Trading Private Limited

One Raffles Quay, North Tower, #19-03, Singapore 048583 LESSO Group (2128) is listed in the Stock Exchange of Hong Kong.











CONTENT

| OVERVIEW | 02 |
|---|----|
| MANUFACTURING GIANT | 03 |
| INTELLIGENT STORAGE FOR SMART LIVING | 06 |
| OFF-GRID SOLAR ENERGY SOLUTION | 08 |
| HYBRID SOLAR ENERGY SOLUTION | 12 |
| ON-GRID SOLAR ENERGY SOLUTION | 16 |
| PORTABLE ENERGY STORAGE SOLUTIONS | 20 |

A Bright and Exciting Journey

LESSO Group is a Hong Kong-listed (2128.HK) manufacturer of building materials with an annual revenue of over USD4.38 billion from its global operations.

LESSO Solar, a flagship division of LESSO Group, specialises in manufacturing solar panels, inverters, and energy storage systems, and providing solar-energy solutions.

Our 5 production bases, introduce advanced equipment, and create intelligent and automated production lines for intelligent building photovoltaic integrated BIPV, solar photovoltaic modules, and solar cells. The sales network of LESSO solar has covered Asia, North America, South America, Europe, South Africa, and the Middle East.

Founded in 2022, LESSO Solar has been growing with spectacular pace, with global production capacity of over 15GW for solar panels and 6GW for solar cells by the end of 2023.



usp4.38 bil Annual Sales Revenue



Years of Experiences



5 Major Manufacturing Bases



15.3GW **Solar Modules Manufacturing Capacity**









Leading the Future with Intelligent **Manufacturing**

Poised to grow into a large-scale global manufacturer of solar solutions, we are rapidly expanding our production capabilities by utilizing the latest manufacturing technologies and building more factories around the world.

Using only the best raw materials and leveraging on our in-house logistics capabilities, we ensure each step of the process is well controlled to deliver the best experience for our customers.

Our Certificates

IEC61215, IEC61730, ISO 9001:2015 Quality management system, ISO 14001:2015 Environment management system, ISO 45001:2018 Occupational health and safety management system



























JIULONG FACTORY

CHONGKOU FACTORY

LESSO Solar GLOBAL FOOTPRINT

LESSO Solar has been expediting the adoption of smart manufacturing by proactively building smart factories across the world. Drawing upon the extensive resources of LESSO, we integrate intelligent green energy as the cornerstone of our operations. Our commitment is to provide a wide range of new energy solutions and services to customers worldwide. With a focus on expanding our global production, logistics, sales, and service network, we aim to meet the diverse needs of customers all over the world.

---- PERU



EFFICIENT, RELIABLE RENEWABLE

Intelligent Storage for Smart Living










Solar PV modules

Hardcore Energy Reliable Technology



Schematic Diagram



OFF-GRID SOLAR ENERGY SOLUTIONS 1kW + 3kWh 3kW + 5kWh 5kW + 10kWh Single phase Single phase Single phase **AC Output Type** L-N: 220/230/240Vac L-N: 220/230/240Vac L-N: 220/230/240Vac **PV** Capacity 410Wp x 2pcs 410Wp x 6pcs 410Wp x 8pcs Daily Average 3.28kWh 9.84kWh 13.12kWh **Energy Production** PV Installation $> 4m^{2}$ > 12m² > 16m² Footprint **Energy Storage** 3.07kWh 5.12kWh 10.24kWh Capacity 1kW 1kW Inverter Inverter 3kW 5kW Inverter +40A/24VDC Inverter with MPPT Inverter with MPPT Converter with MPPT MPPT controller **BOS** (optional) PV cable, Battery cable, Bracket (Roof pitch/ground), Distribution box, Tool bag



OFF-GRID SOLAR ENERGY SOLUTIONS

LESSO Solar off-grid solar energy solutions can be operated far from the area without grid electricity supply by generating, storing the energy by its own. Solar panels are used to keep the loads working and battery charging for night backup. Your off-grid solar system has to be sized properly to meet your daily power needs and make use of the stored energy pulled from the battery.

Main Advantage



Effective utilization of generated power



It can be self-generated and self-consumed without relying on the public grid, and the excess power during the daytime can be stored for use at night to form an independent energy supply micro-grid, which can satisfy remote areas without a stable power supply, and realize a 24-hour uninterrupted supply of energy.

By utilizing renewable energy sources such as solar or wind, our systems ensure a continuous and sustainable power supply, reducing dependence on fossil fuels and minimizing the environmental impact.

Off-grid energy storage solutions offer a high profits on investment. By reducing reliance on expensive diesel generators or costly grid extensions, significant cost savings can be realized in the long run. The scalability and flexibility of the solution also allows for customized configurations to meet specific energy needs, ensuring that customers can optimize their investment and achieve maximum cost-effectiveness.

1-10kW

Off-grid inverter with MPPT

Rated power: 1-10kW DC input voltage: 24/48V

Output voltage: 220V / 230V / 240V

Output type: Single phase

Battery type: Lead acid battery / LiFePO4 battery

Warranty: 2 years



1-6kW

Off-grid inverter

Rated power: 1-6kW

DC input voltage: 12/24/48V

Output voltage: 220V / 230V / 240V

Output type: Single phase

Battery type: Lead acid battery / LiFePO4 battery

Warranty: 2 years



40-100A

MPPT Solar charge controller

Voltage: 12/24/36/48V **MAX PV Input:** 12-150V

Battery type: Lead acid battery / LiFePO4 battery

Warranty: 2 years





5kWh

LiFeP04 battery

Nominal voltage: 51.2V Nominal capacity: 100Ah Nominal energy: 5.12kWh

Operating voltage range: 44.8-56V

Max discharge current: 100A

Warranty: 5 years



3.07kWh

LiFeP04 battery

Nominal voltage: 25.6V Nominal capacity: 120Ah Nominal energy: 3.07kWh

Warranty: 3 years





HYBRID SOLAR ENERGY SOLUTIONS

LESSO hybrid solar energy solutions are available as on-grid solar with battery storage system (ESS) and integrate the innovation of both off-grid and on-grid technologies. In addition to being directly used, power can also be saved for use at night. It's also possible to sell excess energy back to the utility provider, which is ideal for homeowners. Still the most affordable option, a standard hybrid solar system is ideal for most daytime-operating enterprises.

Main Advantage



During the day, the power generated by the system is supplied to the local load or sell to the power grid through inverters. At night, the energy stored in the energy storage equipment can supply to the electricity demand. The highest spontaneous self use rate of electricity can reach 95%.




Set the charging and discharging time for the battery according to the peak and valley electricity prices, charge the battery when the electricity price is low, and discharge the battery for load use when the electricity price is high, reducing the economic expenses of households on electricity consumption.



Island isolation protection, over-charged/discharged protection, under-voltage protection, over-current protection. All-in-one system, easy to installation and maintenance.

Schematic Diagram



| HYBRID SOLAR ENERGY SOLUTION | | | | | |
|------------------------------------|--|---|--|--|--|
| | 5kW + 10kWh | 10kW + 20kWh | | | |
| AC Output Type | Single phase L-N: 230Vac | Three phase L-N: 220/230Vac L-L: 380/400Vac | | | |
| PV Capacity | 550Wp x 9pcs | 550Wp x 18pcs | | | |
| Daily Average Energy Production | 19.8kWh | 39.6kWh | | | |
| PV Installation Footprint | > 24m² | > 48m² | | | |
| Energy Storage Capacity | 10kWh | 20kWh | | | |
| Inverter / Converter | 5kW Hybrid Inverter | 10kW Hybrid Inverter | | | |
| BOS (optional) | PV cable, Battery cable, Bracket (Roof pitch/ground), Distribution box, Tool bag | | | | |



3-6kW

Hybrid Inverter

Rated power: 3-6kW

 $\textbf{Battery DC input voltage:}\ 40\text{-}58 \lor$

Output voltage: 230Vac
Output type: Single phase

Battery type: Lead acid battery / LiFePO4 battery

Warranty: 5 years



6-15kW

Hybrid Inverter

Rated power: 6-15kW

Battery DC input voltage: 150-550V

Output voltage: 380/400Vac
Output type: Three phase

Battery type: Lead acid battery / LiFePO4 battery

Warranty: 5 years



5kWh

LiFeP04 battery

Nominal voltage: 51.2V Nominal capacity: 100Ah Nominal energy: 5.12kWh

Operating voltage range: 44.8-56V Max discharge current: 100A

Warranty: 5 years



5kWh

LiFeP04 battery

Nominal voltage: 51.2V Nominal capacity: 100Ah Nominal energy: 5.12kWh

Operating voltage range: 44.8-56V Max discharge current: 100A

Warranty: 5 years



10-20kWh

LiFeP04 battery

Nominal voltage: 204.8-409.6V Nominal capacity: 50Ah

Nominal energy: 10.24-20.48kWh Max discharge current: 50A

Warranty: 5 years





ON-GRID SOLAR ENERGY SOLUTIONS

LESSO on-grid solar energy solutions feature a sleek and modern design that is not only functional but also beautiful, adding value to your property while having a positive impact on the environment. The system is equipped with high-quality solar panels that can withstand all weather conditions, ensuring long-term performance and durability.

Installation and maintenance of our on-grid solar systems is simple, with the professional guidance and on going support of our experienced team. Once installed, you can start enjoying the benefits of reduced energy bills and a cleaner, greener lifestyle.

Main Advantage



Reducing electricity bills




Self-consumption
Surplus power to grid

With our Photovoltaic On-grid System, you can take advantage of the abundant solar energy to significantly reduce your electricity bills during the day.

Designed for seamless integration with existing electrical infrastructure, our photovoltaic on-grid system is a hassle-free and environmentally friendly way to power your home or business.

Our on-grid system allows excess energy to be sent to the grid and energy to be drawn from the grid when needed, ensuring flexible power supply and reducing energy costs. This system enables self-sufficiency and surplus energy integration. With reliable performance and long-term durability, the on-grid power system provides a low-maintenance, efficient solution for users.

Schematic Diagram



| ON-GRID SOLAR ENERGY SOLUTIONS | | | | | | |
|------------------------------------|---|-------------------------|---|-------------------------|--|--|
| | Micro Solutions | | String Solutions | | | |
| | 800W | 1600W | 10kW | 20kW | | |
| AC Output Type | Single phase L-N: 220/230Vac | | Three phase L-N: 220/230Vac L-L: 380/400Vac | | | |
| PV Capacity | 410Wp x 2pcs | 410Wp x 4pcs | 550Wp x 18pcs | 550Wp x 36pcs | | |
| Daily Average Energy Production | 3.28kWh | 6.56kWh | 39.6kWh | 79.2kWh | | |
| PV Installation Footprint | > 4m² | > 8m² | > 48m² | > 96m² | | |
| Inverter / Converter | 800W Micro Inverter | 1600W Micro Inverter | 10kW String Inverter | 20kW String Inverter | | |
| BOS (optional) | PV cable, Bracket (Roof pitch/ground), Distribution box, Tool bag | | | | | |



800W

Micro inverter

Rated output power: 800W Operation voltage range: 20-50V

Nominal output current: @220Vac: 3.7A / @230Vac: 3.5A

Warranty: 5 years



1600W

Micro inverter

Rated output power: 1600W Operation voltage range: 18-60V

Nominal output current: @220Vac: 7.4A / @230Vac: 7A

Warranty: 5 years



2.5/3-6kW

Single phase PV inverter

Max. PV input voltage: 550V/600V MPPT voltage range: 50-450V/90-520V Nominal output voltage: 220/230Vac

Warranty: 5 years



6-50kW

Three phase PV inverter

Max. PV input voltage: 1100V MPPT voltage range: 200-1000V Nominal output voltage: 380/400Vac AC voltage range: 310-480Vac

Warranty: 5 years



50-110kW

Three phase PV inverter

Max. PV input voltage: 1100V
MPPT voltage range: 180-1000V
Nominal output voltage: 380/400Vac

Warranty: 5 years



PORTABLE ENERGY STORAGE SOLUTIONS

LESSO portable energy storage may be charged by connecting it to solar panels, the grid, or a generator. It can also be utilized to create an outdoor power supply system, appropriate for outdoor charging scenarios which is quite adaptable. The portable energy storage features a versatile power outlet, is lightweight and compact, and is real two-way, rapid charging, and simple to operate.

Main Advantage



Portable, aesthetic design, user-friendly, easy to carry.



Power grid or photovoltaic charging are both applicable.



Build-in lithium iron phosphate battery, multiple software protection settings, safe and reliable.



Schematic Diagram



300W/192Wh

LiFeP04 battery

USB output: 5V 3A x 4 DC output: 12V x 4 **AC output:** 220/230Vac x 1


PV input: 18V/10-80W **DC light:** 3W x 2 (3m length)

Other function: TF card, USB, Bluetooth, radio, audio



300-3000W

Portable LiFeP04 battery



Charge power: PV/AC grid

